Revision: 02.10.2018



mofakult.ch

mofakult.ch

mofakult.c

mofakult.ch

Safety data sheet according to (EU) 2015/830

Printing date 02.10.2018

Version number 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: MOTO FORK OIL SAE 10W/30
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · **Application of the substance / the mixture**Only for proper handling.
 Fork oil
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BUCHER AG LANGENTHAL MOTOREX-Schmiertechnik Bern-Zürich-Strasse 31 CH-4901 Langenthal Telefon +41 (0)62 919 75 75

· Only representative in EU:

MOTOREX Deutschland AG, Bismarckstrasse 28, D-69198 Schriesheim

- · Further information obtainable from: msds@motorex.com
- · 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

Polymer 2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with eicosyl 2methyl-2-propenoate, hexadecyl 2-methyl-2-propenoate, methyl-2methyl-2-propenoate, octadecyl 2-methyl-2-propenoate, pentadecyl 2met

Eye Irrit. 2, H319

(Contd. on page 2)

-GB

heber des Dokuments bleibt der ursprüngliche Heraus

Printing date 02.10.2018

mofakult.d

mofakult.ch

mofakult.ch

mofakult.ch

Version number 1.1

Trade name: MOTO FORK OIL SAE 10W/30

(Contd. of page 1)

Revision: 02.10.2018

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove residues with soap and water.

Remove contaminated clothing immediately.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: DO NOT USE WATER JET
- 5.2 Special hazards arising from the substance or mixture In case of fire carbon, sulphur and nitrogen oxides can be formed.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures kult ch

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: Do not heat above flash point.

(Contd. on page 3)

GE

ieber des Dokuments bleibt der ursprüngliche Herausg

Printing date 02.10.2018

Version number 1.1

Trade name: MOTO FORK OIL SAE 10W/30

(Contd. of page 2)

Revision: 02.10.2018

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:

mofakult.ch

mofakult.ch

mofakult.ch

mofakult.ch

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store containers closed and protect against rain, dust, heat and other atmospheric influences.

- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Protective gloves to EN374, resistant to oil in use. Standard EN 374 Level 3 control G1 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 60 minutes (Permeation according to EN 374 Part 3: Level 1).

- · Eye protection: Goggles recommended during refilling
- · Body protection: Protective work clothing

GB ·

(Contd. on page 4)

heber des Dokuments bleibt der ursprüngliche Herausgeber.

Printing date 02.10.2018 Version number 1.1 Revision: 02.10.2018

Trade name: MOTO FORK OIL SAE 10W/30

(Contd. of page 3)

	SECTION 9: Physical and chemi	cal properties	
nofakult.ch	· 9.1 Information on basic physical and chemical properties · General Information		
	Appearance:	EL-M	
	Form:	Fluid	
	Colour: · Odour:	Yellowish weak	
	· Odour threshold:	Not determined.	
\Diamond	pH-value:	Not determined.	
	· Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : Undetermined.	
	Flash point:	>200 °C	
ofakult.ch	· Flammability (solid, gas):	Not applicable.	
	· Ignition temperature:	>260 °C (DIN 51794)	
	· Decomposition temperature:	Not determined.	
	· Auto-ignition temperature:	Product is not selfigniting.	
\Diamond	Explosive properties:	Product does not present an explosion hazard.	
	Explosion limits: Lower: Upper:	0.9 Vol % 7 Vol %	
	· Vapour pressure:	Not determined.	
ofakult.ch	Density at 20 °C: Relative density Vapour density Evaporation rate	0.875 g/cm³ (ASTM D 4052) molakult.ch Not determined. Not determined. Not determined.	
	Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
	· Partition coefficient: n-octanol/water:	Not determined.	
	· Viscosity: Dynamic: Kinematic: VOC (EC)	Not determined. 68 mm²/s @ 40 °C (DIN 51562-1) 0.01 %	
ofakult.dh	Solids content: 9.2 Other information	0.0 % motakuit.ch No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

- GB

nofakult.ch

ofakult.ch

mofakult.ch

Printing date 02.10.2018

Version number 1.1

Trade name: MOTO FORK OIL SAE 10W/30

(Contd. of page 4)

Revision: 02.10.2018

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

mofakult.ch

mofakult.ch

mofakult.ch

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

· European waste catalogue

13 01 10* mineral based non-chlorinated hydraulic oils

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

ber des Dokuments bleibt der ursprüngliche Heraus

Printing date 02.10.2018

mofakult.ch

mofakult.ch

mofakult.ch

mofakult.ch

mofakult.d

Version number 1.1

Trade name: MOTO FORK OIL SAE 10W/30

(Contd. of page 5)

Revision: 02.10.2018

SECTION 14: Transport information	tion	
· 14.1 UN-Number · ADR/RID/ADN, ADN, IMDG, IATA	Void	mofakult.ch
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void of akult.ch	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	morakult.cn
· 14.7 Transport in bulk according to An	nex Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National chemical directories

Components listed or exempted from listing:

EINECS/ELINCS/NLP (EU)

TSCA (USA)

DSL/NDSL (CDN)

ENCS/METI (J)

AICS (Aus)

IECSC (CN)

ECL/KECI (KOR)

HSNO (NZ)

PICCS (RP)

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

(Contd. on page 7)

-GB

ofakult.ch

Printing date 02.10.2018 Version number 1.1 Revision: 02.10.2018

Trade name: MOTO FORK OIL SAE 10W/30

(Contd. of page 6)

GB -

· Relevant phrases

mofakult.ch

H319 Causes serious eye irritation.

- Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goo IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2