

1 Identification

- **Product identifier**
- **Trade name:** HYDRAULIC FLUID 75
- **Application of the substance / the mixture**
 Hydraulic fluid
 Only for proper handling.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 MOTOREX AG
 Bern-Zürich-Strasse 31, Postfach
 CH-4901 Langenthal
 Tel. +41 (0)62 919 75 75
 www.motorex.com
- **Information department:** msds@motorex.com
- **Emergency telephone number:**
 USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

2 Hazard(s) identification

- **Classification of the substance or mixture**
 Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
- **Label elements**
- **GHS label elements**
 The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**
 Distillates (petroleum), heavy hydrocracked
 Distillates (petroleum), hydrotreated light paraffinic
 Mineral oils (mixture)
- **Hazard statements**
 H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**
 P301+P310 If swallowed: Immediately call a poison center/doctor.
 P331 Do NOT induce vomiting.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
 Fire = 1
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2021

Reviewed on 03/15/2021

Trade name: **HYDRAULIC FLUID 75**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64741-76-0 EINECS: 265-077-7 Index number: 649-453-00-1	Distillates (petroleum), heavy hydrocracked Asp. Tox. 1, H304	50-70%
CAS: 64742-55-8 EINECS: 265-158-7 Index number: 649-468-00-3	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	≥25-≤50%

- **Additional information:**

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Remove residues with soap and water.
Remove contaminated clothing immediately.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
Consult a physician if irritation develops.
- **After swallowing:**
Do not induce vomiting. Do not take in resorption stimulating agents.
Consult a physician who will decide on need and method of emptying the stomach.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** DO NOT USE WATER JET
- **Special hazards arising from the substance or mixture**
In case of fire carbon, sulphur and nitrogen oxides can be formed.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2021

Reviewed on 03/15/2021

Trade name: **HYDRAULIC FLUID 75**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

None of the ingredients is listed.

· **PAC-2:**

None of the ingredients is listed.

· **PAC-3:**

None of the ingredients is listed.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** Do not heat above flash point.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store containers closed and protect against rain, dust, heat and other atmospheric influences.
Keep receptacle tightly sealed.
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
- **Breathing equipment:**
Not necessary if room is well-ventilated.
Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2021

Reviewed on 03/15/2021

Trade name: **HYDRAULIC FLUID 75**

(Contd. of page 3)

- **Material of gloves**

Protective gloves to EN374, resistant to oil in use. Standard EN 374 Level 3 control G1

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 60 minutes (Permeation according to EN 374 Part 3: Level 1).

- **Eye protection:** Goggles recommended during refilling.

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

· Form:	Fluid
· Color:	Yellowish
· Odor:	weak
· Odor threshold:	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.

- **Flash point:** >170 °C (>338 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

· Lower:	0.6 Vol %
· Upper:	6.5 Vol %

- **Vapor pressure:** Not determined.

- **Density at 20 °C (68 °F):** 0.845 g/cm³ (7.052 lbs/gal) (ASTM D 4052)

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	15 mm ² /s @ 40 °C (59 mm ² /s @ 104 °F)

- **Solvent separation test**

· **VOC content:** 0.01 %

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2021

Reviewed on 03/15/2021

Trade name: **HYDRAULIC FLUID 75**

(Contd. of page 4)

Other information

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

64741-76-0 Distillates (petroleum), heavy hydrocracked

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	LC50	>5,000 mg/m ³ (rat)
	NOEL	220 mg/m ³ (rat)
	NOAEL	980 mg/m ³ (rat)

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m ³ (rat)
	NOAEL	980 mg/m ³ (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2021

Reviewed on 03/15/2021

Trade name: **HYDRAULIC FLUID 75**

(Contd. of page 5)

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

64741-76-0 Distillates (petroleum), heavy hydrocracked

LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)

LL50	10,000 mg/l/72h (aquatic invertebrates)
------	-----------------------------------------

LL50	10,000 mg/l/48h (aquatic invertebrates)
------	-----------------------------------------

LL50	10,000 mg/l/24h (aquatic invertebrates)
------	-----------------------------------------

EL50	10,000 mg/l/48h (aquatic invertebrates)
------	-----------------------------------------

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)

	>100 mg/l/96h (<i>Pimephales promelas</i>) (OECD 203)
--	---------------------------------------------------------

LL50	10,000 mg/l/72h (aquatic invertebrates)
------	-----------------------------------------

LL50	10,000 mg/l/48h (aquatic invertebrates)
------	-----------------------------------------

EL50	10,000 mg/l/48h (aquatic invertebrates)
------	-----------------------------------------

NOEL	>100 mg/l/72h (<i>Pseudokirchnerella subcapitata</i>) (OECD 201)
------	--------------------------------------------------------------------

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential**

64741-76-0 Distillates (petroleum), heavy hydrocracked

Partition coefficient	3-6 [---] (log Kow) (Bioaccumulation)
-----------------------	---------------------------------------

64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Partition coefficient	>3.5 [---] (log Kow) (Bioaccumulation)
-----------------------	----------------------------------------

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

US

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2021

Reviewed on 03/15/2021

Trade name: **HYDRAULIC FLUID 75**

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|----------------------------------------------------------------------------------|-----------------|
| · UN-Number | Void |
| · DOT, ADR/RID/ADN, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · DOT, ADR/RID/ADN, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR/RID/ADN, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR/RID/ADN, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	ACTIVE
4259-15-8	zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	ACTIVE
597-82-0	O,O,O-Triphenylthiophosphat	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2021

Reviewed on 03/15/2021

Trade name: **HYDRAULIC FLUID 75**

(Contd. of page 7)

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- **Department issuing SDS:** Abteilung Produktsicherheit

- **Contact:**

- **Date of preparation / last revision** 03/15/2021 / 1.0

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Asp. Tox. 1: Aspiration hazard – Category 1

- *** Data compared to the previous version altered.**

US